



FLOORSPAN  
CONTRACTS

Floorspan Contracts Ltd  
Unit 1  
Europa Square  
Europa Way  
Wisbech  
PE13 2UR



2020

Certificate Number 0086-CPR-612002

Hollowcore slabs for suspended floors

Relevant harmonised standard-BS EN 1168-2005

**Identification code**

Concrete compressive strength

fck

**Hollowcore 150mm**

= 50N/mm<sup>2</sup>

**Prestressing Steel:**

Ultimate tensile strength

fck

= 1770 N/mm<sup>2</sup>

Tensile 0.1% proof stress

fp0.1k

= 1556 N/mm<sup>2</sup>

For geometrical data, detailing, mechanical strength, fire resistance, acoustic Insulation index and durability see design specifications.

See Design drawings and client's specification.

The performance of the product identified above is in conformity with the declared values, when installed in accordance with the manufacturer's instruction.

Signed on Behalf of the manufacturer  
Position: Operations Manager  
Date: 18<sup>th</sup> November 2020

Name: N Carver



Registered Office: 9 Commerce Road, Lynchwood, Peterborough PE2 6LR  
Company Director: Mr. N.K. Dighton

Company Registration No: 4359843



CONTRACTORS HEALTH & SAFETY ASSESSMENT SCHEME  
Accredited Contractor  
www.chas.gov.uk