



FLOORSPAN
CONTRACTS

Floorspan Contracts Ltd
Unit 1
Europa Square
Europa Way
Wisbech
PE13 2UR



2024

Certificate Number 0086-CPR-612002

Beams for suspended floor systems

Relevant harmonised standard-BS EN 15037-1:2008

Identification code

Concrete compressive strength

fck

225mm Lightbeam +

= 55N/mm²

Prestressing Steel:

Ultimate tensile strength

fck

= 1670 N/mm²

Tensile 0.1% proof stress

fp0.1k

= 1470 N/mm²

Prestressing Strand

Ultimate tensile strength

fck

= 1860N/mm²

Tensile 0.1% proof – stress

fp0.1k

= 1640 N/mm²

For geometrical data, detailing, mechanical strength, fire resistance, acoustic
Insulation index and durability see design specifications.

See Design drawings and client's specification.

The performance of the product identified above is in conformity with the declared values, when installed in accordance
with the manufacturer's instruction.

Signed on Behalf of the manufacturer

Position: Compliance Officer

Date: 04th January 2024

Name: M Fisher



Registered Office: 9 Commerce Road, Lynchwood, Peterborough PE2 6LR
Company Director: Mr. N.K. Dighton



CONTRACTORS HEALTH & SAFETY ASSESSMENT SCHEME
Accredited Contractor
www.chas.gov.uk

Company Registration No: 4359843